



April 16, 2007

Dear Client,

**Esoterix Service Update: Effective May 21<sup>st</sup>**

Esoterix is committed to keeping our clients informed of changes, updates, and enhancements to our testing services as they occur. A complete listing of service changes is included with this letter and has been posted to our website at [www.esoterix.com](http://www.esoterix.com) in the test menu section. All changes go into effect on May 21, 2007.

For additional information, please call us at (800) 444-9111. We value you as a customer and thank you for choosing Esoterix.

Darryl Goss  
Chief Operating Officer



April 16, 2007

**Implementation Notice: Method Change**

**Test Title:** TSH Receptor Antibody

**Test Code:** 500308

**Effective Date:** May 21, 2007

**Explanation of change:** The new method is quantitative and is FDA-cleared for “In Vitro Diagnostic Use”.

<b>Description</b>	<b>Predicate Method</b>	<b>New Method</b>
Assay Method	Radioreceptor Assay	Radioreceptor Assay
Assay Type	Laboratory Developed	In Vitro Diagnostic Use
Analytical Range	Semi-Quantitative % Inhibition reported	Quantitative Antibody unit reported 0.2 – 40 U/L
Reference Range	<u>% Inhibition</u> <10 %: Negative 10 –15 %: Equivocal >15%: Positive	<u>Antibody Titer</u> <1 U/L: Negative 1.1-1.5 U/L: Equivocal >1.5 U/L: Positive
Assay Set frequency	Tues & Fri	Tues & Fri
CPT	84445	83519
Price	No Change	No Change